

EASY HANG





EASY HANG

STRIP CURTAINS

FOR ALL MOUNTING
AND INSTALLATION POSITIONS



FIXING TYPE B1 TO B6

The practical **EASY HANG Clip-in system** is designed for all installation options. Curtains are available to be fastened firmly or movable.





FIXING TYPE B7

The **electric drive** for the clip-in system, single or multi-track sliding available.





FIXING TYPE B8

The **QUICK-STRIP concertina system** is designed for installations with lack of space on both sides to move a strip curtain out of the way. Also available in stainless steel. Curtains can be actuated manually, with electric or pneumatic drive.





FIXING TYPE B9

The **hook-in system** is principally used in his stainless steel version for hygiene areas. Curtains are available to be fastened firmly or slidable.





FIXING TYPE B10

The **EASY HANG hook-in system** for heavy duty applications and extra-long PVC strips. Curtains are available to be fastened firmly or slidable.



FIXING TYPE B11

The **EASY HANG clamp system** is only suited for small and little-used passages as there is a risk of shearing between the clamping plate and the PVC strip.



EASY HANG STRIP CURTAINS



PALM DOOR SYSTEM

EASY HANG



DESIGN FEATURES

EASY HANG strip curtains excel by being particularly installation-friendly for all fixing types.


With all fixing types, the retaining rails are mounted directly to the structure without the PVC strips.

The PVC strips are hooked into the pre-installed structures without an additional tool. They are always cut to the required length and can be installed locally without any rework.

All components are surface treated or produced from rust-proof materials.

The supply scope of EASY HANG strip curtains always includes all the required mountings along with installation instruction and a parts list for supplied parts.

DESIGN FEATURES



GENERAL INFORMATION ABOUT PVC STRIPS

The PVC strips used by EASY HANG are of the highest quality and have rounded edges.


In principle, all standard dimensions, qualities and colours are available from stock.

PVC strips are classified as flame retardant in accordance with DIN 53352.

EASY HANG strip curtains can be used in the food industry without limitation.

GENERAL

Fraunhofer Institute for BioPhysics, Stuttgart
Fraunhofer Institute for Applied Information Technology



Type of clip

SOUND INSULATION

EASY HANG strip curtains achieve excellent sound insulation values. This is confirmed by a special test certificate for EASY HANG strip curtains.

Measurement results:

The summary of the measurement results is stating the sound insulation value dependent on the frequency for the strip curtains tested. This is used to calculate the assessed sound insulation to DIN 52210, page 4, (Edition 1975),

version a) $R_w = 12$ dB version b) $R_w = 13$ dB

SOUND INSULATION



ECONOMY

Thanks to the easy and cost-efficient mounting of EASY HANG strip curtains, as well as the inexpensive basic structure, an investment is very quickly returned.

Using EASY HANG strip curtains behind an outdoor gate, the investment is returned in just a few weeks.

The reduced sound emissions benefits employees' health.

EASY HANG strip curtains at openings to deep-freeze areas prevent icing and the associated expensive defrosting processes.

When used as a room divider, EASY HANG strip curtains protect partial areas from contamination or partition an existing spatial climate without obstructing the view.

ECONOMY



Request an offer for your application:

☐ EASY HANG clip-in system (B1-B6)



☐ QUICK-STRIP concertina system (B8)

☐ EASY HANG hook-in system (B10)

☐ E-drive for clip-in system (B7)

Hook-in system (B9) ☐ Galvanised ☐ Stainless steel

EASY HANG Clamp system (B11) ☐ Galvanised ☐ Stainless steel ☐ Aluminum



☐ Rigidly mounted

☐ Sliding to one side


☐ Sliding to the left and right

☐ Sliding on two tracks

☐ Sliding on three tracks

☐ Sliding on more than three tracks

☐ Sliding 90° around a corner



Company _____

Contact _____

Address _____

Post code/Place _____ / _____

Phone _____

Fax _____

Email _____